

Calculadora de valores LDL esperados após terapêutica

Calculadora de LDL (opcional)

Colesterol Total	<input type="text"/>	mg/dL
Triglicerídeos	<input type="text"/>	mg/dL
HDL	<input type="text"/>	mg/dL
LDL-calculado *	<input type="text"/>	mg/dL

*Se Triglicerídeos > 400 mg/dL,
fórmula sem validade

Introduzir LDL **AQUI**

 **LDL** mg/dl

Objectivos

RCV	LDL (mg/dL)
Muito Alto Risco	<70 ou redução >50% LDL inicial
Alto Risco	<100
Baixo ou moderado	<115
Triglicerídeos	<150
HDL	>40 (H) > 48 (M)

Valores LDL estimados **APÓS** terapêutica com:

Fármaco	5 mg	10 mg	20 mg	40 mg	80 mg
Fluvastatina ¹					
Lovastatina ¹					
Pravastatina ¹					
Sinvastatina ¹					
Pitavastatina (1,2,4mg) ¹					
Atorvastatina ¹					
Rosuvastatina ¹	<input type="text"/>				
Ezetimibe ^{1,3}					

Associação	10 + 10 mg	20 + 10 mg	40 + 10 mg	80 + 10 mg
Sinva + Ezetimibe ³				
Atorva + Ezetimibe ²				
Rosuva + Ezetimibe ^{4,5,6}				

São apenas valores médios e orientadores, que não substitui de forma alguma o julgamento e decisão clínica.
O utilizador deste formulário é o último responsável pela prescrição.

Bruno Valentim

Interno de M.G.F.
USF Condeixa - ACeS Baixo Mondego
Coimbra

Bibliografia

- 1-Catapano AL, Graham I, De Backer G, Wiklund O, Chapman MJ, Drexel H, et al. 2016 ESC/EAS Guidelines for the Management of Dyslipidaemias. Eur Heart J. 2016;37(39):2999-3058.
- 2-Ballantyne CM, Hourii J, Notarbartolo A, Melani L, Lipka LJ, Suresh R, et al. Effect of ezetimibe coadministered with atorvastatin in 628 patients with primary hypercholesterolemia: a prospective, randomized, double-blind trial. Circulation. 2003;107(19):2409-15.
- 3-Davidson MH, Ballantyne CM, Kerzner B, Melani L, Sager PT, Lipka L, et al. Efficacy and safety of ezetimibe coadministered with statins: randomised, placebo-controlled, blinded experience in 2382 patients with primary hypercholesterolemia. Int J Clin Pract. 2004;58(8):746-55.
- 4- Ballantyne CM, Hoogeveen RC, Raya JL, Cain VA, Palmer MK, Karlson BW, et al. Efficacy, safety and effect on biomarkers related to cholesterol and lipoprotein metabolism of rosuvastatin 10 or 20 mg plus ezetimibe 10 mg vs simvastatin 40 or 80 mg plus ezetimibe 10 mg in high-risk patients: Results of the GRAVITY randomized study. 2014;232:86-93
- 5-Kim KKS, Won Y, Rha YS, Kwak SHC, Kim W. Effect of fixed- -dose combinations of ezetimibe plus rosuvastatin in patients with primary hypercholesterolemia: ROZE (Multicenter Randomized Study of ROsuvastatin and eZetimibe). Wiley Cardiovasc Ther. 2016;34:371-82.
- 6-Bays HE, Davidson MH, Massaad R, Flaim D, Lowe RS, Tershakovec AM, et al. Safety and Efficacy of Ezetimibe Added on to Rosuvastatin 5 or 10 mg Versus Up-Titration of Rosuvastatin in Patients With Hypercholesterolemia (the ACTE Study). Am J Cardiol [Internet]. 2011;108(4):523-30. Available from: <http://dx.doi.org/10.1016/j.amjcard.2011.03.079>